This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.








Fig. 1. Case 10. Neuroimaging studies demonstrating radiological responses. Axial (upper and lower left) and coronal (upper and lower right) magnetic resonance images obtained at time of reinfusion (upper and lower left) and 2 months following reinfusion (upper and lower right).












stimulated peripheral blood T cells. Top row: before treatment; Bottom row: after autologous cancer cell/GM-CSF vaccination and adoptive transfer of anti-CD3treatment. Grade IV astrocytoma (glioblastoma multiformae) treated by combination of





Top right and bottom row: increasing time after treatment. stimulated peripheral blood T cells. Top left: before treatment; cancer cell/GM-CSF vaccination and adoptive transfer of anti-CD3-



Renal cell
carcinoma lung metastasis
Top: before
treatment
Bottom: after
treatment

